
Quick-Coupler Type Water Jumpers




Coupler sleeve twists to lock, preventing accidental disconnect.



Catalog Number	Hose I.D.	Fits Plug Series No.	L	С	M	А	Stock Item
WJ200-4	1/4	200	1	11/4	3/8	5/8	•
WJ200-6	3/8	200					•
WJ300-6	3/8	300	17/16	1 %16	1/2	7/8	•
WJ300-8	1/2	300					•
WJ500-8	1/2	500	21/8	2	7/8	15/16	•
WJ500-12	3/4	500					•

Oversized and unrestricted flow path maintains full flow rate of hose used. Compact design neatly and safely holds cooling lines close to the mold surface.

- Exclusive Locking Sleeve prevents accidental disconnect and ensures proper installation.
- Unlimited installation options.
 Fits around obstacles, and installs in compact spaces.
- Viton Seals provide for temps up to 400° F.
- All brass and stainless steel construction.
- Compatible with all major mold connection systems.




Swivel Type Water Jumpers

 Can be fully recessed to prevent accidental disconnect or damage.

Swivel body allows for installation in tight spaces.

- Eliminate crimped hoses and setup errors.
- Viton 0-ring seals.
- All brass construction
- Easy hex key installation.
- Custom Length Water Jumpers available.



	Hose I.D.	Pipe		Hex					For Recessed Installation—		
Catalog Number	Size H	Size NPT	L	Key Size	А	С	0	В	Min. Slot Width	Min. Slot Depth	Stock Item
WJ18-S		1/8	13/16	3∕16	11/16	1	5/8	.660	11/16	1	•
WJ18-M	⁵ ⁄ ₁₆		2								•
WJ18-L			31/2								•
WJ14-S		1/4	17/16	1/4	13/16	1 ⅔16	25/32	.840	7/8	1⅔₁6	•
WJ14-M	3/8		23/8								•
WJ14-L			31/8								•
WJ38-S		3/8	15/8	5⁄16	1	13/8	¹⁵ ⁄ ₁₆	.980	1	13/8	•
WJ38-M	1/2		25/8								•
WJ38-L			41/8								•
WJ50-S50		1/2	2	3/8	11/8	1½	11/8	1.235	11/4	1 ⁹ ⁄16	•
WJ50-M50	1/2		3								•
WJ50-L50			41/2								•
WJ50-S	3/4	1/2	2								•
WJ50-M			3								•
WJ50-L			41/2								•

